



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/994,724	11/28/2001	Shinichi Sato	35.C15977	8317

5514 7590 09/14/2004

FITZPATRICK CELLA HARPER & SCINTO  
30 ROCKEFELLER PLAZA  
NEW YORK, NY 10112

EXAMINER
----------

NGHIEM, MICHAEL P

ART UNIT	PAPER NUMBER
----------	--------------

2863

DATE MAILED: 09/14/2004

Please find below and/or attached an Office communication concerning this application or proceeding.

<b>Interview Summary</b>	Application No.	Applicant(s)	
	09/994,724	SATO ET AL.	
	Examiner	Art Unit	
	Michael P Nghiem	2863	

All participants (applicant, applicant's representative, PTO personnel):

(1) Michael P Nghiem. (3) \_\_\_\_\_.

(2) Michael O'Neill. (4) \_\_\_\_\_.

Date of Interview: 07 September 2004.

Type: a) ☒ Telephonic b) ☐ Video Conference  
c) ☐ Personal [copy given to: 1) ☐ applicant 2) ☐ applicant's representative]

Exhibit shown or demonstration conducted: d) ☐ Yes e) ☒ No.  
If Yes, brief description: \_\_\_\_\_.

Claim(s) discussed: 1 and 25.

Identification of prior art discussed: \_\_\_\_\_.


Agreement with respect to the claims f) ☒ was reached. g) ☐ was not reached. h) ☐ N/A.

Substance of Interview including description of the general nature of what was agreed to if an agreement was reached, or any other comments: Fig. 12, filed on 23 September 2002, shows the suction port (B123) being connected to the air outlet (B410) behind the sub-tank (B400) (shown by the two columns of dotted lines). The suction port (B123) is not connected to the upper bottom wall (wall connected to B122) of sub-tank (B400). Thus, the air outlet does not communicate with the suction port (B123) through the internal container (B416) of the sub-tank (B400).

(A fuller description, if necessary, and a copy of the amendments which the examiner agreed would render the claims allowable, if available, must be attached. Also, where no copy of the amendments that would render the claims allowable is available, a summary thereof must be attached.)

THE FORMAL WRITTEN REPLY TO THE LAST OFFICE ACTION MUST INCLUDE THE SUBSTANCE OF THE INTERVIEW. (See MPEP Section 713.04). If a reply to the last Office action has already been filed, APPLICANT IS GIVEN ONE MONTH FROM THIS INTERVIEW DATE, OR THE MAILING DATE OF THIS INTERVIEW SUMMARY FORM, WHICHEVER IS LATER, TO FILE A STATEMENT OF THE SUBSTANCE OF THE INTERVIEW. See Summary of Record of Interview requirements on reverse side or on attached sheet.

Examiner Note: You must sign this form unless it is an Attachment to a signed Office action.

  
Examiner's signature, if required